

For structural remains complete this section

Alignment:

Building Technique: Adobe/Mud-brick Ashlar (blocks) irregular (unworked) stone Concrete Other (specify)

Binding Agent: None Clay Mortar (if so, specify composition, color, compaction)

Concrete inclusions:

Material Tufo Basalt Travertine Tiles Other (specify)

Size Small (range) _____ Medium (range) _____ Large (range) _____ Representative size: e.g. 2 x 1 x 2 cmz

Wall Facing:

Opus quadratum Opus incertum Opus reticulatum Petit appareil Opus testaceum Opus mixtum Opus vittatum Other (specify)

Complete this section for foundations Faced foundation Wooden shuttering No shuttering

floor/revetment type

Floor type: Beaten Earth Opus signinum Opus scutulatum Opus sectile Mosaic Opus spicatum Other (specify)

Wall finishing Stucco Opus signinum Plaster Painted Plaster Other (specify)

Approx. length, width, height of structural remains:

Description:

Sketch (if applicable, indicate North)

INTERPRETATION

LAYER OF ACCUMULATION CONTAINING FAIRLY CONSISTENT EXAMPLES OF EARLY POTTERY (NO LATER THAN C. 700 BCE). THE PORTION OF THE SU IN THE SW CORNER, CUT BY THE DRAINAGE CANAL AT THE S. LIMIT AND ABUTTING WALL 3237 AT W LIMIT AND CUT BY MICROMORPHOLOGICAL SAMPLING AT S, HAS SOME POSSIBILITY OF CONTAMINATION WHEN THE BULLDOZER CONSTRUCTED THE SOUTHERN RAMP. THIS WAS REMOVED AS PART OF SAME SU, BUT DESIGNATED AS SU 3259 (SW CORNER). A CONCENTRATION OF SPINDS + SPIN DUG WE FOUND EARLIEST MATERIAL AT S. LIMIT. ^{WHORLS FOUND AT SOUTH-CENTRAL LIMIT.}

SOIL SAMPLING: Yes No

Total volume of layer (buckets): 283

Sample quantity (buckets): 2

Sample fraction (%): 0.73%

NON SOIL SAMPLES: Yes No

If yes, specify (e.g. charcoal, mortar etc.):

charcoal

Size: S

SIEVING: Yes No

Total volume of layer (buckets): 283

Sample quantity (buckets): 280

Sample fraction (%): 99.27%

STRATIGRAPHICAL RELIABILITY

Good Fair Poor

Filled-out by JME

on 2-7-13

Revised by JME


on 04-07-13

PDFd by JCN

on 8-7-13

Entered by

on

SITE	YEAR	AREA	SECTOR	ELEVATION	STRATIGRAPHICAL UNIT	 Gabii Project
GPR	2013	D	X	Min: 60.8291 Max: 61.0739	3259 <input checked="" type="checkbox"/> Natural <input type="checkbox"/> Anthropoc	

In cross-section? Yes No
 In elevation drawing? Yes No
 Photos: Yes No #: 493
 Photo Model: Yes No #: 439

DEFINITION
 LIGHT BROWN SILTY DEPOSIT IN S. HALF OF RM 2
 Covered by SU 3227 SU: SU:
 Fills SU: SU:
 Filled by SU: SU:

HOW IS LAYER DISTINGUISHED?
 Color Composition Compaction
 FORMATION PROCESS
 Accumulation Construction Cutting Erosion Collapse Intentional deposition

INCLUSIONS For each inclusion specify frequency: (f)requent, (m)edium, (r)are

Anthropic	Geological	Organic	SOIL/MATRIX
<input checked="" type="checkbox"/> Pottery F <input type="checkbox"/> Tiles <input type="checkbox"/> Amphorae <input checked="" type="checkbox"/> Dolia R <input type="checkbox"/> Mosaic tile(s) <input type="checkbox"/> Mortar <input type="checkbox"/> Coins <input type="checkbox"/> Metal (specify) <input type="checkbox"/> Collapse debris <input type="checkbox"/> Glass	<input checked="" type="checkbox"/> Tufo (specify) GRAY A <input type="checkbox"/> Travertine <input type="checkbox"/> Other Limestone <input type="checkbox"/> Basalt <input type="checkbox"/> Clay <input type="checkbox"/> Sand <input type="checkbox"/> Silt <input type="checkbox"/> Pebbles (range) <input type="checkbox"/> Gravel (range)	<input checked="" type="checkbox"/> Charcoal R <input type="checkbox"/> Ash R <input checked="" type="checkbox"/> Animal bones M <input type="checkbox"/> Human bones <input checked="" type="checkbox"/> Animal teeth R <input type="checkbox"/> Human teeth <input type="checkbox"/> Shells <input type="checkbox"/> Other (specify)	clay 10% silt 80% sand 10% <input type="checkbox"/> Granular <input checked="" type="checkbox"/> Layered <input type="checkbox"/> Cohesive Compaction: <input type="checkbox"/> Hard <input type="checkbox"/> Compact <input checked="" type="checkbox"/> Friable <input type="checkbox"/> Loose <input type="checkbox"/> Soft Color: <input type="checkbox"/> Black <input type="checkbox"/> Brown <input type="checkbox"/> Gray <input checked="" type="checkbox"/> Light Brown <input type="checkbox"/> Light Gray <input type="checkbox"/> White <input type="checkbox"/> Yellow <input type="checkbox"/> Red <input type="checkbox"/> Light Yellow <input type="checkbox"/> Other (specify)

UNIT LIMITS (also indicate on overlay)

Northern Limit Original Not Original Excavation Limit
 Southern Limit Original Not Original Excavation Limit
 Western Limit Original Not Original Excavation Limit
 Eastern Limit Original Not Original Excavation Limit

Depth: Original Not Original


STRATIGRAPHICAL SEQUENCE

Is equal to:	Is bound to (only for masonry):
Is abutted by:	Abuts: 3237
Is covered by: 3227	Covers:
Is cut by: 3173	Cuts:
Is filled by:	Fills:

OBSERVATIONS
 EXCAVATED BY TROWEL + PICKAXE ON 25-06-13
 Δ1012 (spool frag) Δ1013 (bronze ring) Δ1005 pin fragment
 Δ1011 Δ1003 Δ1004 Δ1009 (spool) Δ1003 Bronze ring Δ1006
 D1015 SPOOL (spool) ASU

DESCRIPTION
 Position within sector: SOUTHERN HALF OF ROOM 2.
 Shape: IRREGULAR

For layers complete this section:
 Surface (slope direction; visible inclusions): SLIGHT SLOPE N → S; CERAMIC, TUFO, STONE CLUSTERS THROUGHOUT
 Observations about inclusions (Clusters? Deposition slope): EVENLY THROUGHT, HIGHER CONCENTRATION IN SW PORTION
 Observations about thickness (Increases? Decreases?): Decreases N → S
 Nature of the interface with layer below: sharp diffuse commingled other (specify)



D1015 SPOOL (spool) ASU
 D1007 spool fragment
 D1014 Dentine fragment
 D1006

Spool
 Δ1007
 spool
 fragment
 Δ1014
 Dentine
 fragment
 Δ1006